





## Mower Deck Assembly



## Mower Deck Assembly

| Ref. | Parts NO    | Description            | Ref. | Parts NO    | Description             |
|------|-------------|------------------------|------|-------------|-------------------------|
| 4    | 4211090     | Discharge Chute        | 40   | 5001090     | Deck Belt Tension Arm   |
| 5    | 5001007     | Torsion Spring         | 41   | 5201077     | Bearing Spacer          |
| 6    | 2802008     | Bolt M8×160            | 42   | 5201064     | Tension Pulley          |
| 7    | B97.1-10    | Flat Washer M10        | 43   | 5201078     | Bearing Spacer M10      |
| 8    | B6182-10    | Locknut M10            | 44   | 5201062     | Tension Pulley Brace    |
| 9    | T001121     | Floating Roller        | 45   | B5787-1030  | Hex Hd. Bolt M10×30     |
| 10   | T001122     | Bolt Sleeve            | 46   | 4211002     | Blade Drive Belt        |
| 11   | B5782-880   | Bolt M8 X80            | 47   | 4211040     | Mower deck Weldment     |
| 12   | B97.1-8     | Flat Washer M8         | 48   | B5787-10110 | Bolt M10X110            |
| 14   | 4806002     | Pin                    | 49   | B5787-1070  | Bot M10X70              |
| 15   | 5001331     | Bushing 1              | 51   | 5001301     | Blade Washer            |
| 16   | 5001332     | Bushing 2              | 52   | 6011143     | Spindle Shaft           |
| 17   | B6182-8     | Nut M8                 | 53   | B6173-20    | Nut M20X1.5             |
| 18   | 5001304     | Front Deck Support Rod | 54   | 5201048     | Washer (2)              |
| 19   | 5001303     | Rod Pivot Bushing      | 55   | 4211105     | Blade Pulley            |
| 21   | B6182-12    | Nut M12                | 56   | 5201044     | Upper Dust Guard        |
| 22   | 5201291     | Bearing Cover          | 57   | B276-6205RS | Bearing 6205-2RS        |
| 23   | 5201012     | Idler Pulley           | 58   | 5201049     | Spindle Bearing Spacer  |
| 24   | B276-6203RS | Bearing 6203-2RS       | 59   | 5201050     | Spindle Housing         |
| 25   | B893.1-40   | Snap Ring M40          | 60   | B893.1-52   | Snap Ring M52           |
| 26   | 5201011     | Idler Spacer Bushing   | 61   | 5201043     | Lower Dust Guard        |
| 27   | 5001005     | Deck Stabilizer Rod    | 63   | B1096-0622B | Key B6×25               |
| 28   | 5001006     | Washer M12             | 64   | 4211101     | Blade                   |
| 30   | B5782-8120  | Bolt M8X120            | 65   | 5201042     | Disk Spring Washer M16  |
| 31   | 5001008     | Deck lift Rod          | 66   | B5787-16060 | Bolt M16X60             |
| 33   | 5001083     | Washer M10             | 67   | 4211100     | Spindle Assembly        |
| 34   | 3301003     | Olite bronze bushing   | 280  | B6172-12    | Bolt M12                |
| 35   | B1152-6     | Grease Fitting M6      | 281  | 5201010     | Tension Pulley Assembly |
| 36   | 5001081     | Pivot Tensioner Mount  | 282  | 5001080     | Tension Pulley Assembly |
| 37   | 4211004     | Pump Tension Pulley    | 373  | T001120     | Anti Scalp Roller       |
| 38   | GB5787-1035 | Bolt M10X35            | 374  | 5001330     | Anti Scalp Roller       |
| 39   | 4211110     | Belt Cover,WLD         |      |             |                         |

# Frame Assembly



## Frame Assembly

| Ref. | Parts NO     | Description            | Ref. | Parts NO      | Description              |
|------|--------------|------------------------|------|---------------|--------------------------|
| 17   | B6182-8      | Nut M8                 | 90   | 5002308       | Stabilizer Arm Mount     |
| 50   | B801-820     | Bolt M8×20             | 91   | 5002020       | Caster Pivot Cap         |
| 68   | 5002335      | Right Beam             | 92   | B6182-16      | Nut M16                  |
| 69   | 5002355      | FOOT PLATE             | 93   | 5002091       | Spring washer M16        |
| 70   | 4212001      | Panel                  | 94   | B297-32922    | Bearing 329/22           |
| 71   | B5783-816    | Bolt M8×16             | 95   | B9877.1-28407 | Grease Seal 28×40×7      |
| 72   | B93-8        | Washer 8               | 96   | 5002095       | Caster Wheel Yoke        |
| 73   | B97.1-8      | Washer 8               | 97   | B5782-12150   | Bolt M12×150             |
| 74   | 5002321      | Front Supporting Plate | 98   | 5002092       | Caster Wheel Bushing     |
| 75   | 5002017      | Front RH Tank Bracket  | 99   | 5002103       | Wheel Bearing            |
| 76   | 5002322      | Middle Cross Beam      | 100  | 5002102       | Rim 5×3                  |
| 77   | 5002016      | Front LH Tank Bracket  | 101  | B1153-645     | Grease Fitting 45°M6     |
| 78   | 5002310      | Rear Supporting Plate  | 102  | 5002101       | Tire 11×4                |
| 79   | B1152-8      | Grease Fitting M8*1    | 104  | 5002007       | Foot Plate Pivot Bushing |
| 80   | B5783-820    | Bolt M8×20             | 107  | B5783-825     | Bolt M8X25               |
| 81   | 5002323      | Rear Guard             | 121  | B801-616      | Bolt M6×16               |
| 82   | 5002307      | Front Bump             | 124  | B6182-6       | Nut M6                   |
| 83   | 5002325      | Front Beam             | 249  | 5201003       | Bumper Block             |
| 84   | 5002330      | Left Beam              | 250  | B70-630       | Screw M6×30              |
| 85   | 5002309      | Rear LH Tank Bracket   | 251  | 5002365       | Deck Stop                |
| 86   | 5002380      | Engine Base Weldment   | 253  | 5002390       | Wire rod welding         |
| 87   | 5002085      | Frame Brace            | 288  | B6182-12      | Nut M12                  |
| 88   | 4LZ2.16.4-04 | Rubber Bushing M29     | 307  | 5002100       | Front Wheel              |
| 89   | 5002336      | Battery Tray           | 309  | 5009026       | Fixed Plate              |
|      |              |                        |      |               |                          |




**WORLDLAWN®**




## Control Assembly

| Ref. | Parts NO   | Description           | Ref. | Parts NO     | Description                    |
|------|------------|-----------------------|------|--------------|--------------------------------|
| 2    | B97.1-6    | Flat Washer M6        | 136  | 5002131      | Left Control Link              |
| 8    | B6182-10   | Locknut M10           | 137  | 5002009      | Axle Pin 2                     |
| 17   | B6182-8    | Locknut M8            | 138  | B6170-6      | Nut M6                         |
| 35   | B1152-6    | Grease Fitting M6     | 139  | B93-6        | Lock Washer M6                 |
| 50   | B801-820   | Hex Hd Bolt M8×20     | 257  | 5002270      | Washer                         |
| 72   | B93-8      | Washer M8             | 258  | 5002260      | Brake Tension Spring           |
| 73   | B97.1-8    | Flat Washer M8        | 260  | 5002111      | Pivot Shaft                    |
| 80   | B5783-820  | Bolt M8×20            | 261  | 5002347      | Stop Bracket RH Torsion Spring |
| 103  | XSZ56-1-17 | Pin                   | 262  | 5002118      | Torsion Spring, RH             |
| 105  | 5002145A   | Right Handle          | 263  | B2685-121618 | Oilite Bronze Bearing 12×16×18 |
| 106  | 5002034    | Handle Grip           | 264  | B861.1-6     | Washer M6                      |
| 107  | B5783-825  | Hex Hd Bolt M8×25     | 265  | 5002120      | Pivot Block Weldment           |
| 108  | 5002343    | RH Handle Mount ASM   | 266  | 5002344      | Right Brake Panel              |
| 109  | 5002138    | RH Control link       | 267  | 5002112      | Operating Pin Roll             |
| 110  | 5002008    | Shoulder Pin          | 268  | 2806061      | Washer M12                     |
| 111  | B6170-8    | Locknut M8            | 269  | B879-520     | Pin 5×20                       |
| 112  | 5002134    | Neutral Buckle M8     | 270  | 5002113      | Handle Mount Block             |
| 113  | 5002135    | Screw M8              | 271  | 5002114      | Spring                         |
| 114  | SIBJK 8T   | Rod End Bearing       | 272  | B308-4       | Steel Ball SR4                 |
| 115  | B5783-840  | Hex Hd Bolt M8×40     | 273  | 2800006      | Washer M8                      |
| 116  | 5205012    | Damper                | 274  | 5002345      | Stop Bracket LH Torsion Spring |
| 122  | 5002350    | Control Panel Mount   | 275  | 5002117      | Torsion Spring, LH             |
| 124  | B6182-6    | Locknut M6            | 276  | 5002342      | Left Brake Panel               |
| 125  | 5002031    | Right Switch Bracket  | 287  | 5000002      | Seat Pull Rod                  |
| 126  | 5002210    | Brake Cable           | 400  | 5208070      | Ignition Switch                |
| 127  | 5002005    | Cable Mount Bracket   | 401  | 5002220      | Choke Cable                    |
| 128  | 5002026    | Brake Adjustment Link | 402  | 3306030      | Knob                           |
| 129  | 5000090    | Seat                  | 403  | 3336019      | Throttle Control Assembly      |
| 130  | 5000081A   | Seat Plate            | 404  | B801-616     | Hex Hd Bolt M6×16              |
| 131  | B5783-1025 | Bolt M10×25           | 405  | 5208022      | Blade Control Switch           |
| 132  | 3300106    | Bolt 5/16-18UNC       | 406  | 5204015A     | Three Way Valve                |
| 133  | 5002140A   | Left Handle           | 407  | B6182-6      | Locknut M6                     |
| 134  | 5002341    | LH Handle Mount       |      |              |                                |
| 135  | 5002032    | Left Switch Bracket   |      |              |                                |




| Ref. | Parts NO    | Description          | Ref. | Parts NO     | Description              |
|------|-------------|----------------------|------|--------------|--------------------------|
| 8    | B6182-10    | Locknut M10          | 157  | 5203405      | Key 6.35×25              |
| 12   | 5201061     | Washer               | 158  | 4804005      | Clutch                   |
| 13   | B5782-10100 | Bolt M10X100         | 160  | 5203412      | Bolt 7/16-20UNF×3        |
| 17   | B6182-8     | Nut M8               | 161  | 5002160      | Tension Pulley Assembly  |
| 73   | B97.1-8     | Washer 8             | 162  | 4806004      | Idler Spring             |
| 107  | B5783-825   | Bolt M8×25           | 163  | 5002004      | Pump Drive Belt          |
| 140  | 3302190     | Three-Arm Knob       | 164  | 5208203      | hook rod                 |
| 141  | 5002385     | Fan Cover            | 165  | B5782-1060   | Bolt M10X60              |
| 142  | B62-6       | Wing Nut M6          | 166  | 5002175      | Tension Idler            |
| 143  | 3203004     | Battery Strap        | 167  | B276-6303RS  | Bearing 6303-2RS         |
| 144  | 5208002     | Battery 12V 33AH     | 168  | B893.2-47    | Snap Ring M47            |
| 145  | 5203045     | Spring Cover         | 169  | 5002161      | Tension Pulley Spacer    |
| 146  | 5002022     | Spring               | 170  | 5002165      | Pump Tension Arm         |
| 147  | 5203435     | Bolt 3/8-16UNCX1-1/2 | 171  | 5002164      | Tension Idler Spacer M10 |
| 148  | 5002371     | Clutch Stop Spacer   | 172  | B2685-202420 | Bearing 20×24×20         |
| 149  | 5203408     | Washer               | 173  | 5002163      | Pivot Bushing            |
| 150  | 5203411     | Clutch Stop Strap    | 174  | 3307004      | Washer M11               |
| 151  | 5203410     | Rubber Washer M17    | 175  | 4210011      | KAWASAKI FR600VEngine    |
| 152  | 5203409     | Bushing              | 187  | 3601020      | Clamp                    |
| 153  | B5782-8100  | Bolt M8×100          | 273  | 2800006      | Flat Washer M8           |
| 154  | B5783-835   | Hex Hd Bolt M8×35    | 285  | 5203420      | Fuel Outlet Assembly     |
| 155  | 3607002     | Engine Shaft Spacer  | 286  | 3302058      | Washer M10               |
| 156  | 5002152     | Pump Drive Pulley    | 290  | 5002268      | Muffler                  |
|      |             |                      |      |              |                          |
|      |             |                      |      |              |                          |






| Ref. | Parts NO   | Description               | Ref. | Parts NO   | Description                       |
|------|------------|---------------------------|------|------------|-----------------------------------|
| 1    | B5783-616  | Hex hd bolt M6×16         | 177  | 5002012    | Fixed Plate, Front                |
| 2    | B97.1-6    | Flat Washer M6            | 178  | B5782-1050 | Bolt M10×50                       |
| 7    | B97.1-10   | Flat Washer M10           | 179  | 5002023    | Left Pressure Relief Rod          |
| 17   | B6182-8    | Locknut M8                | 180  | B93-10     | Washer M10                        |
| 62   | B5782-860  | Bolt M8×60                | 181  | 5002011    | Right Drive Axle                  |
| 73   | B97.1-8    | Flat Washer M8            | 182  | 5002081    | Axle                              |
| 103  | XSZ56-1-17 | Hair Pin                  | 183  | 5002010    | Left Drive Axle                   |
| 107  | B5783-825  | Hex Hd Bolt M8×25         | 184  | 5000001    | Nut 1/2-20UNF                     |
| 117  | B5782-870  | Bolt M8×70                | 185  | 4200350    | Rear wheel18×7.5-8                |
| 118  | 2802183    | Washer M6                 | 186  | 5002013    | Outer Axle Mounting Bracket       |
| 123  | 6012005    | Spacer Bushing            | 246  | 5002014    | Left Inner Axle Mounting Bracket  |
| 124  | B6182-6    | Locknut M6                | 247  | 5002015    | Right Inner Axle Mounting Bracket |
| 131  | B5783-1025 | Bolt M10×25               | 273  | 2800006    | Flat Washer M8                    |
| 139  | B93-6      | Lock Washer M6            | 380  | B5782-8130 | Bolt M8×130                       |
| 165  | B5782-1060 | Bolt M10×60               | 381  | 4200352    | Rim                               |
| 176  | 5002024    | Right Pressure Relief Rod | 382  | 4200352    | Tire 18×7.5-8                     |
|      |            |                           |      |            |                                   |
|      |            |                           |      |            |                                   |

## Deck Height Adjustment








| Ref. | Parts NO   | Description        | Ref. | Parts NO  | Description            |
|------|------------|--------------------|------|-----------|------------------------|
| 1    | B5783-616  | Hex hd bolt M6×16  | 188  | 5002190   | Lift Lever             |
| 7    | B97.1-10   | Flat Washer M10    | 189  | 5002025   | Handle Grip            |
| 8    | B6182-10   | Locknut M10        | 190  | 5002001   | Swivel                 |
| 17   | B6182-8    | Locknut M8         | 191  | 5002360   | DeckLiftShaft Weldment |
| 29   | B5783-1030 | Hex Hd Bolt M10×30 | 192  | 5002306   | Clamp                  |
| 50   | B801-820   | Hex Hd Bolt M8×20  | 194  | 5002250   | Tracking Plate         |
| 124  | B6182-6    | Locknut M6         | 195  | B801-1030 | Bolt M10×30            |
| 131  | B5783-1025 | Bolt M10×25        | 196  | B5783-830 | Hex Hd Bolt M8x30      |
| 147  | B5783-845  | Bolt M8×45         | 197  | B5783-620 | Hex Hd Bolt M6×20      |
| 162  | 4806004    | Idler Spring       | 248  | 4602021   | Cutting Height Bracket |
| 180  | B93-10     | Washer M10         |      |           |                        |

# Fuel Tank System




| Ref. | Parts NO  | Description           | Ref. | Parts NO | Description     |
|------|-----------|-----------------------|------|----------|-----------------|
| 410  | B5783-816 | Hex Hd Bolt M8×16     | 417  | 3307025  | Hose Clamp      |
| 411  | B93-8     | Split Lock Washer M8  | 418  | 5000103  | Fuel Pipe 450   |
| 412  | B97.1-8   | Flat Washer M8        | 419  | 5204015A | Three Way Valve |
| 413  | 4805005   | Gas Cap               | 420  | 5000104  | Fuel Pipe 750   |
| 414  | 5000101   | Right Fuel Tank       | 421  | 5000105  | Fuel Pipe 1150  |
| 415  | 3307023B  | Fuel Tank Bushing     | 422  | 5000102  | Left Fuel Tank  |
| 416  | 5204016   | Right-Angle Connector |      |          |                 |

|                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                          |                                                                                              |                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                       |                                                                                                |   |                                                                                                                                                                                                        |  |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
|  <p>220</p>                                                                                                                                                                                                                              |  <p>221</p>                                                             | <p>FUSE BLOCK</p> <p>8509</p> <p>222</p>                                                     |  <p>223</p>                                                                                                                                                                                                                 |  <p>233</p>                                                                                                                        |  <p>236</p> |   |                                                                                                                                                                                                        |  |  |
|  <p>245</p>                                                                                                                                                                                                                              |  <p>233</p>                                                             |  <p>229</p> |  <p>228</p>                                                                                                                                                                                                                 |  <p>230</p>                                                                                                                        |                                                                                                |   |                                                                                                                                                                                                        |  |  |
|                                                                                                                                                                                                                                                                                                                           | <p><b>CAUTION</b></p> <p>MUFFLER AND SHIELDS<br/>MAY EXCEED 150°F</p> <p>224</p>                                                                         |  <p>239</p> | <p>42</p> <p>8513</p> <p>232</p>                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                       |                                                                                                |   |                                                                                                                                                                                                        |  |  |
|  <p>238</p>                                                                                                                                                                                                                            |  <p>241</p>                                                           | <p><b>CAUTION</b></p> <p>DO NOT OPERATE WITHOUT<br/>GUARD IN PLACE</p> <p>225</p>            |                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                       |                                                                                                |   |                                                                                                                                                                                                        |  |  |
|  <p>235</p>                                                                                                                                                                                                                            |                                                                                                                                                          |                                                                                              |                                                                                                                                                                                                                                                                                                               | <p><b>WARNING</b></p> <p>DO NOT OPERATE WITHOUT<br/>DISCHARGE DEFLECTOR, ENTIRE<br/>GRASS COLLECTION SYSTEM, OR<br/>MULCH KIT IN PLACE. DO NOT<br/>REMOVE GRASS CATCHER UNTIL<br/>BLADES HAVE STOPPED.</p> <p>234</p> |                                                                                                |   |                                                                                                                                                                                                        |  |  |
| <p>VIPER</p> <p>226</p>                                                                                                                                                                                                                                                                                                   | <p>WORLDLAWN POWER EQUIPMENT, INC.</p> <table><tr><td>MODEL</td><td>SERIAL</td></tr><tr><td></td><td>P</td></tr></table> <p>MADE IN CHINA</p> <p>231</p> |                                                                                              | MODEL                                                                                                                                                                                                                                                                                                         | SERIAL                                                                                                                                                                                                                |                                                                                                | P | <p>EMISSION CONTROL INFORMATION</p> <p>JIANGSU WORLD PLANT-PROTECTING MACHINERY CO., LTD</p> <p>THIS EQUIPMENT MEETS U.S. EPA/EVAP STANDARDS</p> <p>EQUIPMENT FAMILY NAME: B/WPPH/EQ002</p> <p>226</p> |  |  |
| MODEL                                                                                                                                                                                                                                                                                                                     | SERIAL                                                                                                                                                   |                                                                                              |                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                       |                                                                                                |   |                                                                                                                                                                                                        |  |  |
|                                                                                                                                                                                                                                                                                                                           | P                                                                                                                                                        |                                                                                              |                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                       |                                                                                                |   |                                                                                                                                                                                                        |  |  |
| <p><b>CAUTION</b></p> <ul style="list-style-type: none"><li>Loose or Damaged Blade Bolt may allow blade to come out from under deck at HIGH SPEED.</li><li>Replace Blade Bolt after striking a foreign object.</li><li>Torque Blade Bolt to 115-120 FT-LBS(158-163N m).</li></ul> <p>SEE OPERATOR'S MANUAL</p> <p>242</p> | <p><b>DANGER</b></p> <p>COVER IS MISSING. DO NOT OPERATE THIS<br/>UNIT WHEN COVER IS NOT IN PLACE.</p> <p>243</p>                                        |                                                                                              | <p>Worldlawn Power Equipment</p> <p>244</p> <p><b>DANGER</b></p> <p>To avoid serious injury or death:</p> <ul style="list-style-type: none"><li>Avoid blades unless engine and blades are stopped.</li></ul>  <p>237</p> |                                                                                                                                                                                                                       |                                                                                                |   |                                                                                                                                                                                                        |  |  |

# Decal



| Ref. | Parts NO | Description            | Ref. | Parts NO | Description                          |
|------|----------|------------------------|------|----------|--------------------------------------|
| 220  | 8312     | Decal, Ignition        | 233  | 8508     | Motion Control LH                    |
| 221  | 8314     | Decal,throttle control | 234  | 8307     | Discharge Warning                    |
| 222  | 8509     | Fuse Decal             | 235  | 8519     | Operational Warning                  |
| 223  | 8507     | Decal, Throttle        | 236  | 8512     | Motion Control RH                    |
| 224  | 8318     | Decal,Rear Guard       | 237  | 8325     | Decal,Danger Blades                  |
| 225  | 8303     | Caution Guard          | 238  | 8515     | Rotating Parts                       |
| 226  | 8550     | Viper LOGO             | 239  | 8501     | Decal                                |
| 228  | 8517     | Cutting Height Locator | 241  | 8511     | Decal,Deck Belt Routing              |
| 229  | 8603     | Transaxle Release LH   | 242  | 8308     | Decal,Shield Warning <sup>4</sup>    |
| 230  | 8604     | Transaxle Release RH   | 243  | 8305     | Decal,Danger Foot Plate <sup>1</sup> |
| 231  | 8046     | Serial Number Plate    | 244  | 8341     | Worldlawn logo                       |
| 232  | 8381     | 42 size decal          | 245  | 8510     | Decal,Cutting Height Outer           |
| 233  | 8985     | WORLDLAWN LOGO         |      |          |                                      |



| Ref. | Parts NO       | Description     | Ref. | Parts NO | Description            |
|------|----------------|-----------------|------|----------|------------------------|
| 208  | 5008003        | Plunger Switch  | 215  | 5008005  | Nut5/16-24UNF          |
| 209  | 5208070        | Ignition Switch | 216  | 2808107  | Relay Cable Cover      |
| 210  | 5208022        | Blade Switch    | 217  | 3312032  | Battery Boot(Positive) |
| 211  | 5208007        | Fuse 20A        | 218  | 3312031  | Battery Boot(Negative) |
| 212  | 5208011        | 12V Delay       | 219  | 5008021  | Wiring Harness         |
| 213  | 3WPZ500-050025 | Start-up Relay  | 259  | 5008012  | Relay plate            |
| 214  | 5008004        | Positive Cable  | 310  | 5208072  | Key                    |
| 299  | 5008008        | Negative Cable  | 311  | 5208071  | Switch                 |
| 298  | 5008006        | Wire to Motor   |      |          |                        |

